








Controllers



Zone				
	Zone 4	4 Zone Signal-Processor, Presets for Optimal Audio Speakers, 2x Mic-In (+48V), 4x Line-In (Stereo), 2x HDMI-In, 2x Paging-In, 19", 2HE	C3	1'215.-
	Zone 4P	Dito, 4x 100W@4Ω/8Ω, 2x 200W @70V (bridge)	C3	1'795.-
	Zone 8	8 Zone Signal-Processor, Presets for Optimal Audio Speakers, 2x Mic-In (+48V), 4x Line-In (Stereo), 2x HDMI-In, 2x Paging-In, 19", 2HE	C3	1'540.-
	Zone 8P	Dito, 8x 100W@4Ω/8Ω, 4x 200W @70V (bridge)	C3	2'670.-
	ZonePad 1	Single Zone Wall Controller, 1x Mic-In (+48V), 1x Line-In (Mono)	C3	295.-
	ZonePad 4	4 Zone Wall Controller	C3	295.-
ZonePad - Accessories				
	Cavity Wall Box	Fixing to plasterboard wall	C3	8.-
	Solid Wall Box	Metal back box for flush mounting	C3	10.-
	Surface Mount Box	Surface mounting plastic box	C3	10.-

Loudspeakers






Ceiling				
	Up 3	Full-Range, passive, ceiling speaker, 3", 20W AES @8Ohm, 3.8/7.5/15@100V, frequency response 95Hz-15kHz +/- 3dB, max. SPL 97dB, 130° conical, cut out 170mm, Ø 202mm x (D)145mm, 1.6Kg	C3	110.-
	Up 40	Full-Range, passive, ceiling speaker, 4", 10W AES @8Ohm, 1.5/3/6@100V, frequency response 87Hz-15kHz +/- 3dB, max. SPL 100dB, 130° conical, cut out 175mm, Ø 202mm x (D)95mm, 1.3Kg	C3	75.-
	Up 4S	2-way, passive, ceiling speaker, LF: 4" / HF: 1", 15W AES @8Ohm, 2/4/8@100V, frequency response 110Hz-18kHz +/- 3dB, max. SPL 98dB, 150° conical, cut out 175mm, Ø 202mm x (D)122mm, 2.2Kg	C3	155.-
	Up 4	2-way, passive, ceiling speaker, LF: 4" / HF: 1", 30W AES @8Ohm, 6.3/12.5/25@100V, frequency response 100Hz-18kHz +/- 3dB, max. SPL 102dB, 120° conical, cut out 175mm, Ø 202mm x (D)206mm, 2.2Kg	C3	170.-
	UP 6	2-way, passive, ceiling speaker, LF: 6.5" / HF: 1", 60W AES @16Ohm, 15/30/60@100V, frequency response 115Hz-18kHz +/- 3dB, max. SPL 108dB, 110° conical, cut out 220mm, Ø 251mm x (D)194mm, 3Kg	C3	195.-
	UP 60	2-way, passive, ceiling speaker, LF: 6.5" / HF: 1", 60W AES @16Ohm, 15/30/60@100V, frequency response 65Hz-18kHz +/- 3dB, max. SPL 108dB, 110° conical, cut out 220mm, Ø 251mm x (D)104mm, 2.2Kg	C3	150.-
Accessories				
	Up P1-B	Pendant accessory kit for Up 3 / Up 4(S), without mounting (cable)	C3	60.-
	Up P1-W	Dito, white	C3	60.-
	Up P2-B	Dito, for Up 6, black	C3	70.-
	Up P2-W	Dito, white	C3	70.-
	Up G1-B	Bezel-less grille accessory kit for all Up 3 / Up 4	C3	25.-
	Up G1-W	Dito, white	C3	25.-
	Up G2-B	Dito, for all Up 6, black	C3	30.-
	Up G2-W	Dito, white	C3	30.-
	GEB-180T150	Einbetoniergehäuse mit Einbauöffnung 180mm, Höhe Innen 150mm, Höhe Aussen 165mm, Gewicht 1'160 Gr. <u>Passend zu:</u> Optimal Audio Up 40	C3	75.-
	GEB-225T180	Einbetoniergehäuse mit Einbauöffnung 225mm, Höhe Innen 180mm, Höhe Aussen 195mm, Gewicht 1'350 Gr. <u>Passend zu:</u> Optimal Audio Up 60	C3	75.-

On-wall				
	Cuboid 3B	2-way, passive speaker, LF: 3.5" / HF: 0.5", 30W AES @80hm, frequency response 125Hz-20kHz +/- 3dB, max. SPL 98dB, 130° hor. / 120° vert, M4 inserts, (W)120mm x (H)190mm x (D)118mm, 1.3Kg, incl. wall bracket	C3	75.-
	Cuboid 3W	Dito, white	C3	75.-
	Cuboid 3TXB	Dito, 5/7.5/10/15W@100V, 2.6Kg, black	C3	95.-
	Cuboid 3TXW	Dito, white	C3	95.-
	Cuboid 5B	2-way, passive speaker, LF: 5.25" / HF: 0.75", 50W AES @80hm, frequency response 97Hz-20kHz +/- 3dB, max. SPL 105dB, 150° hor. / 100° vert, M4 inserts, (W)155mm x (H)255mm x (D)150mm, 2.5Kg, incl. wall bracket	C3	110.-
	Cuboid 5W	Dito, white	C3	110.-
	Cuboid 5TXB	Dito, 5/7.5/10/15W@100V, 2.6Kg, black	C3	130.-
	Cuboid 5TXW	Dito, white	C3	130.-
	Cuboid 6B	2-way, passive speaker, LF: 6.5" / HF: 1", 60W AES @80hm, frequency response 90Hz-20kHz +/- 3dB, max. SPL 107dB, 130° hor. / 120° vert, M4 inserts, (W)200mm x (H)320mm x (D)190mm, 3.8Kg, incl. wall bracket	C3	175.-
	Cuboid 6W	Dito, white	C3	175.-
	Cuboid 6TXB	Dito, 7.5/15/30/60W@100V, black	C3	210.-
	Cuboid 6TXW	Dito, white	C3	210.-
	Cuboid 8	2-way, passive speaker, LF: 8" / HF: 1", 200W AES @80hm, frequency response 90Hz-18kHz +/- 3dB, max. SPL 115dB, 90° hor. / 50° vert, (user-rotatable), M8 inserts, (W)256mm x (H)422mm x (D)261mm, 10Kg	C3	475.-
	Cuboid 10	2-way, passive speaker, LF: 10" / HF: 1", 250W AES @80hm, frequency response 65Hz-20kHz +/- 3dB, max. SPL 120dB, 90° hor. / 50° vert, (user-rotatable), M8 inserts, (W)322mm x (H)524mm x (D)326mm, 16Kg	C3	640.-
	Cuboid 12	2-way, passive speaker, LF: 12" / HF: 1", 300W AES @80hm, frequency response 62Hz-20kHz +/- 3dB, max. SPL 123dB, 80° hor. / 50° vert, (user-rotatable), M8 inserts, (W)360mm x (H)575mm x (D)392mm, 20Kg	C3	740.-
	Cuboid 15	2-way, passive speaker, LF: 15" / HF: 1", 500W AES @80hm, frequency response 58Hz-18kHz +/- 3dB, max. SPL 126dB, 80° hor. / 50° vert, (user-rotatable), M8 inserts, (W)426mm x (H)691mm x (D)416mm, 28Kg	C3	995.-








Subwoofers

	Sub 6-B	Low-profile subwoofer, 6", 250W AES @8Ohm, frequency response 41Hz-200Hz +/- 3dB, max. SPL 112dB, M8 inserts, (W)200mm x (H)310mm x (D)400mm, 11.5Kg	C3	430.-
	Sub 6-W	Dito, white	C3	430.-
	Sub 10	Low-profile subwoofer, 10", 250W AES @8Ohm, frequency response 50Hz-150Hz +/- 3dB, max. SPL 121dB, M8 inserts, (W)470mm x (H)297mm x (D)353mm, 12.9Kg	C3	565.-
	Sub 15	Low-profile subwoofer, 15", 500W AES @8Ohm, frequency response 45Hz-150Hz +/- 3dB, max. SPL 129dB, M8 inserts, (W)716mm x (H)443mm x (D)480mm, 34.3Kg	C3	1'065.-

On-wall - Accessories

	UB1-B	U bracket for Cuboid 8, black	C3	215.-
	UB2-B	Dito, Cuboid 10	C3	220.-
	UB3-B	Dito, Cuboid 12	C3	240.-
	UB4-B	Dito, Cuboid 15	C3	270.-
	WB1-B	Wall bracket for Cuboid 8, black	C3	75.-
	WB2-B	Dito, Cuboid 10 – 12	C3	90.-
	WB3-B	Dito, Cuboid 15	C3	195.-
	SB1-B	Wall bracket, Sub 6 – 10, black	C3	60.-
	SB1-W	Dito, white	C3	60.-
	CIPKIT-B	Weatherized rear panel connector cover, Cuboid 3 – 5, IP54	C3	15.-
	CIPKIT-W	Dito, white	C3	15.-
	CK3	3m cable with carabiner, UP P1 – UP P2	C3	15.-

Amplifiers

SmartAmp				
	SmartAmp 10	2x 125W@4Ω/8Ω/16Ω/100V, Presets for Optimal Audio Speakers, GPIO, 1.9Kg, 1/2 Rack	C3	895.-
	SmartAmp 20	Dito, 4x 125W@4Ω/8Ω/16Ω/100V, 2.4Kg	C3	1'340.-
	SmartAmp 30	Dito, 4x 250W@4Ω/8Ω/16Ω/100V, 19", 3.6Kg	C3	1'795.-
	Amp 100	2x 350W@4Ω, 2x 250W@8Ω, Jack/XLR combo inputs, Speakon 14.7Kg, 2HE	<u>C3</u>	625.-
	Amp 200	Dito, 700W@4Ω, 400W@8Ω, 17Kg	<u>C3</u>	825.-
	Amp 300	Dito, 1350W@4Ω, 800W@8Ω, 20Kg	<u>C3</u>	1'055.-
SmartAmp - Accessories				
	RACKKITA	Rack ears and couplings for SmartAmp 10, 20, black	C3	40.-
	RACKKITB	SmartAmp Rear Rack support kit, black	C3	40.-
	WALLMNT	Wall /desktop mount kit for SmartAmp, black	C3	35.-

Ersetzt alle bisherigen Preislisten.
Remplace et annule les précédentes listes de prix.

Artikel mit **grau unterlegtem Händlercode** sind Neuheiten oder haben eine Preisänderung erfahren.
Articles avec **code client gris** sont des nouveautés ou ont changé de prix.

Bei Artikeln mit **unterstrichenem Händlercode** bitte Verfügbarkeit anfragen!
Articles avec code client **souligné** demandez leur disponibilité!